# **Energy Performance and Capital Expenditures**

# in Manufacturing Industries

Jasper Brinkerink <sup>a</sup>

Andrea Chegut <sup>b</sup>

Wilko Letterie •

#### Abstract:

Little is known about how firms change energy consumption over time. Yet to meet global climate change targets understanding how changes in firm investment impact environmental performance is important for policy makers and firms alike. To investigate the environmental performance of firms we measure the energy consumption and efficiency of firms in the Netherlands' manufacturing industries before and after large capital expenditures over the 2000 to 2008 period. Unique to this data set, is that firm investment is decomposed into three streams: investment in buildings only, in equipment only or a simultaneous investment in both buildings and equipment. We find firms increase energy consumption when experiencing a simultaneous investment. However, after large capital expenditures energy efficiency increases. Further decomposition by firm types suggests that the building capital investments of firms active in high tech industries, energy intensive and low labor intensive industries does not concide with energy efficiency improvements, while energy efficiency does increase with capital expenditures in equipment. Hence, from a policy perspective targeted agreements that understand the production process of firms will require a differentiated strategy. In this case, voluntary agreements with firms, like those with equipment, may not shift energy consumption due to production demands. Third party verification to enhance transparency, subsidies or R&D tax credits may potentially yield better results.

Keywords: Investment, Energy Consumption, Energy Efficiency, Capital Expenditures JEL Classification: D22, D92, Q40, Q41

Acknowledgement:

We thank David Geltner, Rogier Holtermans, Øivind Nilsen, Lyndsey Rolheiser and seminar participants at Maastricht University and MIT for useful comments during early stages of a project resulting in this paper. In addition, we are grateful to the referees of this journal for their suggestions on how to improve this study.

<sup>a</sup> Free University of Bozen-Bolzano, Faculty of Economics and Management, Centre for Family Business Management, Bolzano, Italy

<sup>b</sup> MIT, Center for Real Estate, Cambridge, USA

<sup>c</sup> Maastricht University, School of Business and Economics, Department of Organization and Strategy, Maastricht, The Netherlands. Corresponding author, Email address: w.letterie@maastrichtuniversity.nl.

#### 1. Introduction

Firm output in the industrial sector is very energy intensive. In the US, industrial sector energy consumption in 2010 was 625 million tons of oil equivalent, or one third of total consumption (US Energy Information Administration, 2014). Energy consumption in the EU is approximately 320 million tons of oil equivalent (European Environment Agency, 2014). Policy makers have sought to change this energy intensity by incentivizing capital investments towards energy efficiency through stricter building codes and more stringent equipment standards in the industrial sector (Acemoglu et al., 2014; Acemoglu et al., 2009). Early results from Aroonruengsawat *et al.* (2012) and Jacobsen and Kotchen (2013) document that improvements in residential building codes – that impact new and redevelopment construction - decrease energy consumption by four to six percent. Papineau (2013) has shown similar results for commercial buildings. These studies suggest that stimulating capital investments embodying recent general technical change in energy efficiency for industrial production and construction are ways in which policy could aim to attain environmental goals.

Firm environmental performance is often measured in the literature and by policy makers by looking at the output of firms across various toxicity-weighted pollutants - carbon, nitrate, sulfate oxides. Overall, studies find that firms are decreasing their pollution over time (Cole *et al.*, 2005; Earnhart, 2004), but there are some sectors in which firms are not achieving environmental goals (Gamper-Rabindran and Finger, 2013). However, we do not know the sources of environmental performance surrounding firm investment activities: is it equipment, the buildings or some combination of both? In addition, the literature on energy performance in buildings has documented evidence of increased property value and decreased energy consumption after new building development, but importantly these findings are divided from research investigating capital

expenditures at the firm level (Eicholtz et al., 2010; Dalton and Fuerst, 2017). By taking a firmlevel view of environmental performance that includes buildings and equipment as production factors we are identifying firm-level challenges and capital expenditure areas for technological progress in meeting environmental performance benchmarks.

To understand firm-level environmental performance we employ a multi-period event study to measure the following outcomes. First, we investigate *how the energy performance of firms active in the energy intensive industrial sector develops around episodes of unusually large capital investments* – so called investment spikes (Power, 1998). Specifically, we compare the energy consumption and energy efficiency of firms before, during, and after investment spikes in buildings or equipment, or investment spikes in both capital types simultaneously. As such, the analysis allows us to assess whether and how upgrading the capital stock of industrial firms contributes towards attaining environmental goals concerning energy use and thus the emission of greenhouse gasses. Second, we assess *how firms' operational efficiency develops around these same capital investment spikes*. By comparing the simultaneous development of firms' energy performance and of their operational efficiency surrounding capital investment spikes, we investigate if environmetal goals conflict with – or rather complement – competitive goals. As such, we add to literature adressing whether firms are able to combine "lean and green" production techniques (e.g., King and Lenox, 2001; Klassen and Wybark, 1999; Telle and Larsson, 2007).

We begin our analysis by developing a theoretical framework to guide our empirical analysis, which looks at firm investment spikes across time periods and the arbitrary timing in investment spike event patterns across firms to guide our empirical analysis of firm capital expenditures and energy performance. The framework also enables us to understand how energy efficiency is related to productivity of capital, price developments and a change in production technology. To operationalize this model, we employ a micro-level panel dataset provided by Dutch Statistics (CBS) covering the period 2000-2008. The dataset contains information concerning investment in buildings and equipment. In addition, it provides data on production statistics and the energy expenditures of firms. By identifying large capital expenditures we pinpoint major events at the firm level (Power, 1998). Importantly, we distinguish between expenditures in buildings and equipment. Furthermore, we allow for single expenditure events where the firm only adjusts one type of capital, and we allow for a simultaneous expenditure where the firm makes a large investment in both buildings and equipment. The purpose of discriminating between single and simultaneous expenditures is that the latter are more likely to reflect expansionary efforts of the firm, whereas single expenditures more likely refer to replacement of depreciated physical capital. Our identification scheme makes it possible to measure how energy performance of the firm behaves surrounding investment events. We examine firms in all sectors, but then decompose firms into their innovation, labor and energy intensities. This is particularly important for understanding and pinpointing problematic general sector trends and direct policy-making in specific sectors.

The main findings of our analysis are that when firms invest in both buildings and equipment simultaneously energy consumption increases. This result signals that firms engaging in a simultaneous investment are expanding the scale of their operations. Overall, energy consumption is increasing with increased production. However, new buildings and new equipment tend to incorporate technology consuming less energy. After investment has taken place energy efficiency improves. Operational efficiency of firms improves when investing in equipment but it decreases when investing in buildings. In particular, firms operating in energy and capital intensive industries and high-tech industries face financial damage when investing in buildings, which is an area where policy makers, engineers and firms can join to identify energy efficiency solutions.

The paper proceeds as follows. In the following section we provide a theoretical framework for firm capital expenditures that could impact energy performance. Then, we describe the data provided by CBS. In the next section, we explain our estimation strategy. Then, we depict our results for all sectors, provide an industry cluster analysis, analyze operational efficiency and consider a specific industry. We end with a conclusion and policy recommendations on the link between firm investment, energy performance, and operational performance.

#### 2. Theoretical Framework

In this section we start with a framework to guide our empirical analysis of firm-level energy consumption and energy performance. The empirical strategy we employ is based on the notion of investment spikes. These represent large capital expenditures. Our aim is to identify such large expenditures as these most likely reflect major retooling or expansionary efforts of firms. Investment data often also feature rather small expenditures. The model presented below does not account for these. However, it can be adjusted easily to capture these small investment as well without influencing the main results (Letterie and Pfann, 2007).

The presence of investment lumps can be explained as follows. Suppose that at time *t* a firm uses two capital inputs – the stock of buildings is given by  $K_t^B$  and the stock of equipment is given by  $K_t^E$  - to produce a non-storable output. We abstract from labour to ease exposition of the model, without affecting the theoretical insights obtained. The value of the firm is given by:

(1) 
$$V_{t} = \mathbf{E}_{t} \left( \sum_{s=0}^{\infty} \beta^{s} \left[ F\left(A_{t+s}, K_{t+s}^{B}, K_{t+s}^{E}\right) - C\left(I_{t+s}^{B}, K_{t+s}^{B}, I_{t+s}^{E}, K_{t+s}^{E}\right) \right] \right)$$

The term E(.) indicates that expectations are taken with respect to information available at time *t*. The discount rate  $\beta$  satisfies  $0 < \beta < 1$ . The expression  $F(A_t, K_t^B, K_t^E) = p_t Y_t - p_t^e e_t$  denotes net sales. We assume a Cobb-Douglas production technology with decreasing returns to scale,  $Y_t = \phi_t (K_t^B)^v (K_t^E)^\mu (e_t)^\kappa$ , where *Y*, *e* and  $\phi$  denote production, energy use and total factor productivity, respectively. The price of energy is given by  $p_t^e$ . The structural parameters satisfy  $0 < v, \mu, \kappa < 1$ . Energy is a fully flexible factor of production. The isoelastic demand function is

given by 
$$p_t = \varphi_t \left(Y_t\right)^{-\frac{1}{\varepsilon}}$$
, where  $\varepsilon > 1$ . Then  $F\left(A_t, K_t^B, K_t^E\right) = \varphi_t \left(\phi_t \left(K_t^B\right)^{\nu} \left(K_t^E\right)^{\mu} \left(e_t\right)^{\kappa}\right)^{1-\frac{1}{\varepsilon}} - p_t^e e_t$ .

The term  $A_t = \varphi_t \phi_t^{1-\frac{1}{c}}$  summarizes randomness in both total factor productivity and demand faced by the firm.

Upon investment the firm incurs adjustment costs given by:

(2) 
$$C(I_{t}^{B}, K_{t}^{B}, I_{t}^{E}, K_{t}^{E}) = \begin{bmatrix} p_{t}^{B}I_{t}^{B} + \alpha^{B} \cdot I(I_{t}^{B} \neq 0) + \frac{b^{B}}{2} \left(\frac{I_{t}^{B}}{K_{t}^{B}}\right)^{2} \cdot K_{t}^{B} \\ + p_{t}^{E}I_{t}^{E} + \alpha^{E} \cdot I(I_{t}^{E} \neq 0) + \frac{b^{E}}{2} \left(\frac{I_{t}^{E}}{K_{t}^{E}}\right)^{2} \cdot K_{t}^{E} \end{bmatrix}$$

The function I(.) assumes the value 1 if the condition in brackets is satisfied and is equal to zero otherwise. The adjustment cost function allows for convex costs. Their size is reflected by the parameters  $b^B$  and  $b^E$ . Convex costs make large capital expenditures expensive and hence provide an incentive to firms to smooth investment over time. The prices of the capital investment are  $p_t^B$  and  $p_t^E$ , where for  $c \in \{B, E\}$ ,  $p_t^c = p^{c+} \cdot I(I_t^c > 0) + p^{c-} \cdot I(I_t^c < 0)$ . The purchase price for a unit of capital *c* is  $p^c$ . As investment is

partially irreversible, the purchase price of capital is higher than the resale price:  $p^{-} > p^{-}$ . Fixed costs are given by  $\alpha^{B}$  and  $\alpha^{E}$ . In the model these costs are independent of the size of the investment expenditure. In practice, such costs may capture increased managerial attention or the loss of productivity due to the installation and adoption of new equipment, for instance (Hamermesh and Pfann, 1996). Various empirical studies have found convincing empirical evidence for this type of cost (see for example Cooper and Haltiwanger, 2006; Bloom, 2009; Asphjell et al., 2014).<sup>4</sup> We also assume these to be symmetric for simplicity. In fact, they are independent of whether capital demand is positive or negative.

Investment in buildings and equipment is denoted by  $I_t^B$  and  $I_t^E$ , respectively. By conducting investment the optimal size of the capital stocks,  $K_{t+1}^B$  and  $K_{t+1}^E$ , is reached. The parameters  $\delta^B$  and  $\delta^E$  denote capital depreciation rates of buildings and equipment, respectively. Hence, capital is governed by:

(3) 
$$K_{i,t+1}^{c} = (1 - \delta^{c}) K_{i,t}^{c} + I_{i,t}^{c},$$

where  $c \in \{B, E\}$ . The firm decides upon  $I_t^B$  and  $I_t^E$  by maximising equation (1) subject to equation (3). The shadow values of an additional unit of capital are given by:

(4) 
$$\lambda_{t}^{c} = \mathbf{E}_{t} \sum_{s=0}^{\infty} \left(1 - \delta^{c}\right)^{s} \beta^{s+1} \left[ \frac{\partial \left(F\left(A_{t+s+1}, K_{t+s+1}^{B}, K_{t+s+1}^{E}\right)\right)}{\partial K_{t+s+1}^{c}} - \frac{\partial \left(C\left(I_{t+s+1}^{B}, K_{t+s+1}^{B}, I_{t+s+1}^{E}, K_{t+s+1}^{E}\right)\right)}{\partial K_{t+s+1}^{c}} \right]$$

where  $c \in \{B, E\}$  and  $\lambda_t^c$  measures the value change of the firm if the constraint in equation (3) is

<sup>&</sup>lt;sup>1</sup> Fixed costs have been assumed to be proportional to the scale of the firm measured by the stock of capital. We abstract from this scaling. For the arguments developed using the current model this assumption is innocuous.

relaxed or if, equivalently, capital is increased by one unit. From equation (4) it can be seen that the shadow values represent the expected present discounted value of the marginal profit of capital minus the marginal adjustment costs in future periods. For  $c \in \{B, E\}$  we find that the first order condition for investment is:

(5) 
$$\lambda_t^c - p_t^c - b^c \left(\frac{I_t^c}{K_t^c}\right) = 0.$$

According to Abel and Eberly (1994) factor demand equals:

(6) 
$$\frac{I_t^c}{K_t^c} = \left(\frac{\lambda_t^c - p_t^c}{b^c}\right).$$

The firm determines whether to change the stock of capital for  $c \in \{B, E\}$  by evaluating:

(7) 
$$\lambda_t^c I_t^c \ge C(I_t^c, K_t^c).$$

At the left hand side of equation (7) we see the expected benefits of investing. At the right hand side the cost associated with the firm's decisions is depicted. The expression  $\lambda_t^c I_t^c$  approximates the benefits due to which we obtain a closed-form solution. This expression holds exactly in a continuous time framework with one production factor. Substituting equation (6) in equation (7) we observe that adjusting the stock of capital is profitable if  $\frac{1}{2b^c} (\lambda_t^c - p_t^c)^2 K_t^c \ge \alpha^c > 0$ . Hence, changing the amount of capital  $c \in \{B, E\}$  occurs if

(8) 
$$\left|\lambda_t^c - p_t^c\right| > \sqrt{\frac{2b^c \alpha^c}{K_t^c}} \equiv A^c$$

This equation reveals that if the net benefits of adjusting capital do not go above a certain threshold, the firm abstains from adjusting. The thresholds are due to the presence of fixed adjustment costs  $\alpha^{B}$  and  $\alpha^{E}$ , for instance. Investment becomes less likely, all else equal, with larger fixed costs. Importantly, larger fixed costs also increase the size of the investment. In fact, with a larger threshold the left hand side of equation (8) must be higher and this expression affects the size of investment as can be seen from equation (6).

We expect that if at least one of the capital goods is subject to fixed adjustment costs, flexible input factors like energy will display a lumpy adjustment pattern as well (Abel and Eberly, 1998). With more capital present in the firm, the (expected) marginal profit of energy usage is higher, assuming the production technology has not changed. Hence, the firm is likely to increase energy demand while investing in capital. This can be seen as follows. Assuming energy is a flexible input

factor, it is set at the value maximizing  $p_t Y_t - p_t^e e_t = \varphi_t \left( \phi_t \left( K_t^B \right)^{\nu} \left( K_t^E \right)^{\mu} \left( E_t \right)^{\kappa} \right)^{1-\frac{1}{\varepsilon}} - p_t^e e_t$ . The first-order condition is given by

(9) 
$$\kappa \left(1 - \frac{1}{\varepsilon}\right) \varphi_t \left(\phi_t \left(K_t^B\right)^{\nu} \left(K_t^E\right)^{\mu}\right)^{1 - \frac{1}{\varepsilon}} \left(e_t\right)^{\kappa \left(1 - \frac{1}{\varepsilon}\right) - 1} = p_t^e,$$

where  $\kappa \left(1 - \frac{1}{\varepsilon}\right) = \kappa \left(\frac{\varepsilon - 1}{\varepsilon}\right) < 1$ . So, with more capital present, energy demand has to increase as

well to restore equality of the first-order condition in equation (9). As observed previously, with fixed costs present, our model predicts investment lumps taking place. When capital is adjusted this way, energy demand will follow a very similar pattern accordingly. In our empirical analysis we investigate the dynamics of energy usage in periods surrounding an investment spike.

Investment may not only affect the scale of a firm's operations. It may also imply production technology changes when new capital enters the firm (Acemoglu, 2015; Dunne *et al.*, 1989; Hémous and Olsen, 2015). For instance, upon investment the parameters  $v, \mu$  and  $\kappa$  of the Cobb-Douglas production function depicted above may be altered, which potentially affects the optimal mix of input factors. Using equation (9) it is possible to show that

(10) 
$$\Delta \ln \left( e_t / K_t^c \right) = \Delta \ln \left( Y / K_t^c \right) + \Delta \ln \left( p_t \right) - \Delta \ln \left( p_t^e \right) + \Delta \ln \kappa$$

This means innovation of energy efficiency given by  $\Delta \ln(e_t/K_t^c)$  is driven by developments in productivity of capital,  $Y_t/K_t^c$ , price development,  $\Delta \ln(p_t) - \Delta \ln(p_t^e)$ , and a change in production technology,  $\Delta \ln \kappa$ , ceteris paribus. One would expect that governmental efforts to induce firms investing in more energy-efficient buildings and equipment, make that the parameter  $\kappa$  in the production function  $Y_t = \phi_t (K_t^B)^{\nu} (K_t^E)^{\mu} (e_t)^{\kappa}$  increases relative to the other two technology parameters  $\nu$  and  $\mu$ , implying the firm needs less energy to produce the same amount of output and in this case energy use decreases relative to the use of capital for a given level of output.

We conclude from this theoretical model that capital investment can impact energy efficiency of a firm by inducing a change in the production technology and a change in the productivity of capital. From this theoretical framework, the empirical analysis will aim at revealing a broad picture of the dynamics of energy efficiency before, during and after periods where large capital investment takes place.

#### 3. Data Description

The Netherlands is a country that provides a particularly rich data environment for analysing building code standards. With respect to buildings, according to Dutch building codes firms need to comply with energy efficiency standards. In fact, the last two decades there were three policy instruments directed at the building sector in the Netherlands. Building codes and regulatory instruments were started in the Energy Performance Standard for Buildings in 1995. Further guidance, educational materials and subsidies were developed in the Energy Performance advice and the More with Less Program (International Energy Agency, 2014). Hence, if a building is redeveloped or developed, it must meet standards that satisfy energy efficiency improvements.

In regards to equipment there were four voluntary approach agreements with energy intensive manufacturers over the same time period. Notably, this includes The Energy Efficiency Benchmarking Covenant in 1999, which was later superseded by the Long-term Agreement on Energy Efficiency for enterprises participating in the EU Emissions Trading System. This covenant aims to enhance manufacturing energy efficiency in equipment (International Energy Agency, 2014).

We aim to discern whether new buildings and equipment lead towards cleaner technology. A unique opportunity provided by Statistics Netherlands (CBS) data is that both firm investment and energy consumption data is collected at the firm level. Moreover, the data enables the decomposition of the type of capital investment, e.g., buildings and equipment. CBS collects data on production statistics and investment figures at the firm level on an annual basis. A random selection of all Dutch companies employing less than 50 people is sent questionnaires and all firms with 50 or more employees receive the survey.<sup>2</sup> The data sets on production statistics and investments of the manufacturing sector are merged using a firm specific identifier. We focus on regular firm investment intensity dynamics and not on extreme events like divestments or mergers. For that reason we construct a balanced panel. In this way, the panel conservatively controls for firm entry and exit, major (dis)investment decisions like mergers, acquisitions, bankruptcies and/or geographic relocations. In addition, as we want to employ empirical data, imputed observations are disregarded. We also removed the 1% largest investment ratios to obtain the final data, in order to prevent our findings from being affected by extreme outliers. The panel data set isolates investment behaviour for 2000 to 2008. We have chosen to limit our data up until 2008, as from 2009 onwards CBS used another operational definition of the unit of observation. We disregard years prior to 2000 as the balanced nature of the data would imply an additional loss of observations we like to avoid. Our data concern 652 firms and the total number of yearly observations equals 5,868. This sample is representative of large firms, those with 50 or more employees in the Netherlands and our data has close to 30 percent of the large firm sample.<sup>3</sup>

Firms have been found to conduct investment in a lumpy fashion. Rather than smoothing investment over time, micro-level data have revealed that investment by firms is often concentrated in short time episodes. In this study we will focus on such bursts of capital adjustment as these events represent major retooling or expansionary efforts of firms (Letterie *et al.*, 2010). To investigate micro-level consequences of such events, various studies have proposed a definition of

<sup>&</sup>lt;sup>2</sup> Sampling strategies and collection methods of Statistics Netherlands can be obtained from: http://www.cbs.nl/nl-NL/menu/themas/industrie-energie/methoden/dataverzameling/korteonderzoeksbeschrijvingen/productie-statistiek.htm (in Dutch only).

<sup>&</sup>lt;sup>3</sup> One limitation of our data is that they do not allow us to disentangle or identify substitution or transfer of activities etc. between plants within one firm.

investment spikes. Some have employed an absolute spike definition. In that case, if the investment ratio is larger than an ad hoc value such as 0.2, the observation is refered to as an investment spike (see for instance Cooper *et al.*, 1999; Sakellaris, 2004). A drawback of the absolute spike definition is that it is not well suited to capture sporadic bursts of investment. Furthermore, we have experienced that when using this absolute spike definition for buildings we find rather few spikes. For that reason we employ an event identification scheme for investments in both equipment and buildings, which does not suffer from these disadvantages. This classification method is refered to as a relative spike definition (Power, 1998; Kapelko *et al.*, 2015). This approach works as follows. Let the superscript *z* denote a certain type of capital good, i.e. equipment or buildings.<sup>4</sup> Power (1998) defines an investment spike as an instance where the investment ratio of a firm *i* in a certain

year t,  $\frac{I_{it}^z}{K_{it}^z}$ , exceeds the median investment ratio of that firm by a factor  $\theta$ , where  $\theta = 1.75.56$  We

adjust Power's definition, as otherwise it would be too lax. The reason is that in our data, if a plant experiences the occurrence of 5 or more 'zero investment years' even the smallest investment in one of the remaining years would be classified as a spike. We aim for a more conservative and

<sup>&</sup>lt;sup>4</sup> In our data, there is a separate variable for (total; i.e., including buildings and equipment) leasing expenses for the individual firms. We only considered acquisitions in our analysis. However, especially in the Dutch manufacturing sector, leasing expenses are only a fraction of total expenses/investment in new capital. In the full sample of manufacturing firms' investments in 2000 firms show mean building investments of 20.38, mean equipment investments of 82.21, and mean total leasing expenses of only 2.41 (all figures in thousands of Euro).

<sup>&</sup>lt;sup>5</sup> See Appendix A for a description of how the capital stock is constructed.

<sup>&</sup>lt;sup>6</sup> Studies have employed absolute and / or relative spike definitions (Nilsen and Schiantarelli, 2003; Letterie *et al.*, 2004). We have experimented with all types. For instance, we have also investigated an absolute spike definition of 0.2 for equipment and 0.1 for buildings. Using this approach is providing similar results. Power (1998) tested three different values of  $\theta$ , a low (1.75), medium (2.5) and high (3.25) threshold. She found that results obtained using various investment spike definitions were not really sensitive to the chosen value of  $\theta$ . In our data results for the different levels of  $\theta$  are also robust to the definition employed. We have also experimented with various rates of depreciation for buildings and equipment, again indicating our results are robust. Results are available upon request.

robust definition. Hence, our spike definition includes the constraint that the investment ratio also needs to exceed the depreciation rate for the asset in casu:

(11) 
$$S_{it}^{z} = \begin{cases} 1 & \text{if } \left[ \frac{I_{it}^{z}}{K_{it}^{z}} > \theta \cdot \text{median}_{\tau} \left( \frac{I_{i\tau}^{z}}{K_{i\tau}^{z}} \right) \text{ and } \frac{I_{it}^{z}}{K_{it}^{z}} > \delta^{z} \right] \\ 0 & \text{otherwise} \end{cases}$$

The depreciation rate is denoted by  $\delta^z$ . A strictly positive number for depreciation tends to limit the number of spikes because of the restriction  $\frac{I_{ii}^z}{K_{ii}^z} > \delta^z$  in the spike definition. The depreciation rate for buildings is set at 0.02. We choose a conservative number for the commercial building sector in Europe (Bokhari and Geltner, 2014; Chegut *et al.*, 2014). As we employ Dutch data the depreciation rate for equipment is 0.05 in line with Letterie and Pfann (2007). The depreciation rates we employ for buildings and equipment are consistent with the geometric depreciation approach employed by the US Bureau of Economic Analysis calculating the depreciation rate dividing the declining balance rate by the service life using the information provided by Görzig (2007) and van den Bergen *et al.* (2009).

Simultaneous investment spikes in both equipment and buildings signal significant expansion. To measure unusual expansionary events at the level of the firm, we include a simultaneous investment spike variable:

(12) 
$$S_{it}^{C} = \begin{cases} 1 & \text{if } \left[ S_{it}^{B} = 1 \text{ and } S_{it}^{E} = 1 \right] \\ 0 & \text{otherwise} \end{cases}$$

So, the variable  $S_{it}^{C}$  identifies the event of a simultaneous spike.

A set of descriptive statistics for the investment spikes (in buildings, equipment, or a combination of both) is provided in Table 1. We observe that the frequency of spikes is 8 and 11 percent for buildings and equipment respectively. Simultaneous spikes occur in 3 percent of the data. The mean investment rate for equipment during simultaneous spikes is higher than in the absence of a spike in buildings, hinting at an expansionary effort of the firm.

## Table 1: Descriptive Statistics Investment Rates

Investment rate	Observations	Percentage of total (N = 5868)	Mean	Std. Dev.
All observations:				
Rate buildings	5868	100%	.011	.030
Rate equipment	5868	100%	.042	.053
Building spikes:				
Rate buildings	486	8%	.068	.054
Equipment spikes:				
Rate equipment	651	11%	.216	.017
Simultaneous spikes:				
Rate buildings	155	3%	.070	.047
Rate equipment	155	3%	.240	.199

Notes: Table 1 documents the distribution of investment rates by investment spike in all observations, buildings, equipment and simultaneously both. Percentage of total is a frequency measure representing the number of datapoints observed.

In Table 2 we depict the mean and standard deviation of energy usage, energy efficiency and operational efficiency under the scenarios of (i) all observations, (ii) *no* investment spikes, and in case of (iii) single spikes in buildings, (iv) single spikes in equipment and (v) simultaneous spikes. Note that we have deflated production values and energy expenses by the annual production and energy Producer Price Indices (PPIs) available at Statistics Netherlands (CBS) Statline online datacenter. The base year is 2000. The dependent variables we use in the empirical analysis are in natural logs.

<b>`</b>	All observations	No spikes	Building spikes	Equipment spikes	Simultaneous spikes
	N = 5868	N = 4576	N = 486	N = 651	N = 155
	Mean	Mean	Mean	Mean	Mean
	(St. Dev.)	(St. Dev.)	(St. Dev.)	(St. Dev.)	(St. Dev.)
Level:					
Production (in 1000's of euro)	58566	56142	42925	83819	73100
	(208175)	(215859)	(63886)	(239011)	(94659)
Number of Workers (in FTE)	196	187	199	238	297
	(236)	(230)	(230)	(253)	(307)
	1538	1514	766	2381	1119
Energy Consumption (in 1000's of euro)	(13173)	(13534)	(1998)	(16499)	(1674)
Natural Logarithms:					
En	5.38	5.29	5.36	5.90	6.12
Energy Consumption	(1.61)	(1.61)	(1.53)	(1.55)	(1.42)
Energy Consumption / Cap. Stock	-3.57	-3.60	-3.47	-3.44	-3.28
Buildings	(1.03)	(1.04)	(1.00)	(0.99)	(0.95)
Energy Consumption / Cap. Stock	-4.16	-4.32	-4.30	-3.17	-3.24
Equipment	(1.63)	(1.64)	(1.57)	(1.20)	(1.11)
Operational Efficiency (Total Costs /	-0.07	-0.07	-0.08	-0.06	-0.07
Sales)	(0.10)	(0.10)	(0.09)	(0.10)	(0.08)

 Table 2: Descriptives: Breakdown by Investment Spike Type

Table 2 reveals firms not experiencing a spike at all are relatively small as measured by the level of production and number of workers. Also firms only conducting a large investment in buildings tend to be rather small. Firms that are involved with large investments in equipment are larger on average. Firms just conducting major investments in buildings do not use a lot of energy, compared to firms investing in equipment.

With respect to energy efficiency we see from the bottom part of Table 2 that firms engaging in equipment spikes are more efficient in energy usage as reflected by energy consumption divided by the capital stock of equipment. In contrast, firms displaying building spikes are more efficient in energy usage as reflected by energy consumption divided by the capital stock of buildings. Firms not conducting major investment episodes typically belong to the least energy efficient groups, by all measures. Finally, we analyze the variable operational efficiency as measured by the ratio of cost to sales. Note that the cost variable does not include investment expenditures. It appears our measure of firm efficiency is relatively stable and independent of the investment profile of the firm.

To identify high- and low-tech industry categories in Dutch manufacturing we follow Raymond *et al.* (2006). A low-tech firm is characterized by a low propensity to engage in innovation-seeking activities like R&D and innovation subsidy achievement. Following Raymond *et al.*, wood-based industries are characterized as distinctively non-innovative. Labor and energy intensity industry groupings are based on Ramirez *et al.* (2005). Table 3 identifies how the sample firms are classified by innovation, energy and labor intensity. High-tech and low-tech sectors represent 39 and 45 percent of the sample, respectively. High-tech firms are predominantly active in the Oil and coal, Chemicals, Transportation, and Machines and apparatuses sectors. High-, medium- and low-labor-intensive industries reflect 22, 30 and 49 percent of the sample, respectively. Low-labor-intensive industries are split almost evenly between high-tech and low-tech industries. High-, medium- and

low-energy-intensive firms represent 47, 21 and 33 percent of the sample data, respectively. Energy-intensive firms can be found in industries like Food, drinks and tobacco, Paper and pulp, Oil, coal and chemicals, Non-metallic minerals and Metals.

1993 SBI Code	Sector	Ν	%	Innovation Intensity	Energy intensity	Labor intensity
15-16	Food and drinks; Tobacco	918	16	Low-tech	High	Low
17-19	Textile; Clothes; Leather goods	180	3	Low-tech	High / Medium	High
20	Wood	162	3	Wood	Low	High
21	Paper and pulp	461	8	Wood	High	Medium
22	Publishers, printing companies etc.	351	6	Wood	Low	Low
23-24	Oil and coal; Chemicals	638	11	High-tech	High	Low
25	Rubber and plastics	241	4	High-tech	Medium	Medium
26	Non-metallic minerals	441	8	Low-tech	High	Medium
27	Metals	237	4	Low-tech	High	Low
28	Metal products	662	11	Low-tech	Medium	High
29	Machines and apparatuses	700	12	High-tech	Low	Low
30-32	Office machinery and computers; Electronic machines and equipment; Audio, video and telecom devices	294	5	High-tech	Low	Medium
33	Medical and optical apparatuses and instruments	139	2	High-tech	Low	Medium
34	Cars and trailers	178	3	High-tech	Low	High
35	Other transportation means and products	95	2	High-tech	Low	High
36	Furniture and other products	171	3	Low-tech	Medium	Medium
	Total	5868	100			

Table 3: Sample Breakdown by Sector, Innovation Intensity, Energy and Labor Intensity

Notes: Table 3 documents the frequency of our sample by sector classification, innovation intensity and energy and labor intensity. Some sectors have been aggregated into bigger groups, as Statistics Netherlands (CBS) requires reported statistics to be based on some minimum number of firms to ascertain anonimity of findings. The SBI classification system is the Dutch equivalent of the United States SIC system. Innovation intensity classification based on Raymond *et al.* (2006) and energy and labor intensity classification based on Ramirez *et al.* (2005).

Table 4 provides summary statistics on how the variables of interest vary across sectors if we break them down according to innovation intensity, energy intensity and labor intensity. The bottom part of the table shows that on average firms with the highest energy consumption operate in sectors characterized by low innovation intensity, high energy intensity and medium / low labor intensity. Typically, in high-tech industries one can find the most energy-efficient firms. Firms in sectors with high labor intensity on average display high energy efficiency as measured by low energy consumption per unit of buildings. In contrast, firms characterized by low labor intensity on average score high on energy efficiency as indicated by a low consumption of energy per unit of equipment.

	Inno	Innovation Intensity			nergy Intensi	ity	Labor Intensity			
	High-tech	Low-tech	Wood	High	Medium	Low	High	Medium	Low	
	N = 2285	N = 2609	N = 974	N = 2695	N = 1254	N = 1919	N = 1277	N = 1747	N = 2844	
	Mean	Mean	Mean	Mean	Mean	Mean	Mean	Mean	Mean	
	(St. Dev.)	(St. Dev.)	(St. Dev.)	(St. Dev.)	(St. Dev.)	(St. Dev.)	(St. Dev.)	(St. Dev.)	(St. Dev.)	
Level:										
Production (in 1000's of euro)	74068	52061	39620	87969	30468	35633	31757	86591	32538	
	(317347)	(84293)	(69480)	(299342)	(38489)	(58947)	(47179)	(293343)	(37403)	
Number of Workers (in FTE)	206	192	185	220	168	181	160	222	181	
	(267)	(219)	(199)	(284)	(170)	(190)	(167)	(281)	(188)	
Energy Consumption	2319	1142	764	3033	402	179	305	2518	842	
(in 1000's of euro)	(20613)	(3977)	(2010)	(19326)	(644)	(257)	(524)	(18803)	(2001)	
Natural Logarithms:										
Energy Consumption	5.10	5.66	5.30	6.04	5.22	4.56	4.97	5.57	5.37	
	(1.66)	(1.54)	(1.50)	(1.75)	(1.23)	(1.13)	(1.17)	(1.72)	(1.63)	
Energy Consumption /	-3.70	-3.39	-3.73	-3.11	-3.64	-4.15	-3.79	-3.48	-3.54	
Cap. Stock Buildings	(1.02)	(1.01)	(1.03)	(1.03)	(0.89)	(0.76)	(0.83)	(1.04)	(1.11)	
Energy Consumption /	-4.40	-3.92	-4.28	-3.94	-4.20	-4.46	-4.21	-4.03	-4.35	
Cap. Stock Equipment	(1.64)	(1.59)	(1.58)	(1.81)	(1.54)	(1.33)	(1.35)	(1.61)	(1.81)	
Operational Efficiency	-0.07	-0.06	-0.07	-0.07	-0.06	-0.07	-0.05	-0.08	-0.07	
(Total Costs / Sales)	(0.11)	(0.09)	(0.10)	(0.11)	(0.08)	(0.11)	(0.07)	(0.11)	(0.11)	

 Table 4: Descriptives: Sector Breakdown by Innovation Intensity, Energy Intensity and Labor Intensity

#### 4. Methodology

The goal of this study is to obtain basic facts concerning the dynamics of energy consumption and efficiency surrounding events of major investment efforts conducted by firms. Our analysis is descriptive and non-parametric rather than structural and unables us to observe investment activity across capital types. Our methodology is in line with a common approach in the capital investment literature, when the objective is to obtain descriptive evidence of firm behavior in times of major investment episodes. Hence, we closely follow Sakellaris (2004), Letterie *et al.* (2004) and Nilsen *et al.* (2009) and first identify events of large capital adjustments by firms. We use these events and look into what is happening with firm-level energy metrics in periods surrounding these events. One way of looking at this event type of methodology identified by investment spikes is that such episodes reflect that a firm was hit by a large shock. The investment spike in itself represents the response of the firm to the shock. Alternatively, the firm may have been subject to a series of smaller shocks to which the firm has not responded yet due to the presence of fixed capital adjustment costs, for instance. The large investment event reflects that the firm has taken action now (Sakellaris, 2004).

We start investigating the dynamics of energy usage and energy efficiency surrounding investment spikes for firm-level dependent variables measuring - as denoted by  $DV_u$  - using the following empirical model:

(13) 
$$DV_{it} = \mu_i + \alpha_t + \sum_{z \in \{B, E, C\}} \beta'_z X^z_{it} + \varepsilon_{it} ,$$

where  $\mu_i$  is a firm specific effect,  $\alpha_i$  is a year dummy vector capturing potential macro-economic developments and  $\varepsilon_{it}$  denotes an idiosyncratic error. Our approach resembles an event study (Wooldrige 2013) where the goal is to estimate the effect of an event, a policy program for instance, on an outcome variable of interest. Typically, such studies allow for exogenous treatment variables such that causal inferences can be made. In our study the assumption of strict exogeneity of the events, which are identified by the occurrence of investment episodes, is violated. Hence, our estimates should be interpreted carefully with regards to causality. They provide us with a description of dynamic patters of plant-level energy metrics surrounding major capital adjustments in plants.

The vector  $X_{it}^z$  captures the event for both capital types (i.e. buildings where z=B and equipment where z=E), as well as for a simultaneous spike episode (where z=C) in case a simultaneous investment spike in buildings and equipment takes place (i.e. where  $S_{it}^B = S_{it}^E = 1$ ):

$$(14) \quad \left[X_{it}^{B}\right] = \begin{bmatrix} X_{1it}^{B} \\ X_{2it}^{B} \\ X_{3it}^{B} \\ X_{3it}^{B} \\ X_{6it}^{B} \end{bmatrix} = \begin{bmatrix} \left(1 - S_{it}^{B}\right)\left(1 - S_{it+1}^{B}\right)S_{it+2}^{B}\left(1 - S_{it+2}^{E}\right) \\ \left(1 - S_{it}^{B}\right)S_{it+1}^{B}\left(1 - S_{it+1}^{E}\right) \\ S_{it}^{B}\left(1 - S_{it}^{E}\right) \\ \left(1 - S_{it}^{B}\right)S_{it-1}^{B}\left(1 - S_{it-1}^{E}\right) \\ \left(1 - S_{it}^{B}\right)\left(1 - S_{it-1}^{B}\right)S_{it-2}^{B}\left(1 - S_{it-2}^{E}\right) \\ \left(1 - S_{it}^{B}\right)\left(1 - S_{it-1}^{B}\right)\left(1 - S_{it-2}^{B}\right) \cdot \max_{\tau \le t-3}\left\{S_{i\tau}^{B}\right\} \end{bmatrix}$$

$$(15) \quad \left[X_{it}^{E}\right] = \begin{bmatrix} X_{1it}^{E} \\ X_{2it}^{E} \\ X_{3it}^{E} \\ X_{5it}^{E} \\ X_{6it}^{E} \end{bmatrix} = \begin{bmatrix} \left(1 - S_{it}^{E}\right)\left(1 - S_{it+1}^{E}\right)S_{it+2}^{E}\left(1 - S_{it+2}^{B}\right) \\ \left(1 - S_{it}^{E}\right)S_{it+1}^{E}\left(1 - S_{it+1}^{B}\right) \\ S_{it}^{E}\left(1 - S_{it}^{B}\right) \\ \left(1 - S_{it}^{E}\right)S_{it-1}^{E}\left(1 - S_{it-1}^{B}\right) \\ \left(1 - S_{it}^{E}\right)\left(1 - S_{it-1}^{E}\right)S_{it-2}^{E}\left(1 - S_{it-2}^{B}\right) \\ \left(1 - S_{it}^{E}\right)\left(1 - S_{it-1}^{E}\right)\left(1 - S_{it-2}^{E}\right) \\ \left(1 - S_{it}^{E}\right)\left(1 - S_{it-1}^{E}\right)\left(1 - S_{it-2}^{E}\right) \\ \left(1 - S_{it}^{E}\right)\left(1 - S_{it-1}^{E}\right)S_{it+2}^{C} \\ \left(1 - S_{it}^{C}\right)\left(1 - S_{it+1}^{C}\right)S_{it+2}^{C} \\ \left(1 - S_{it}^{C}\right)S_{it+1}^{C} \\ S_{it}^{C} \\ \left(1 - S_{it}^{C}\right)S_{it-1}^{C} \\ \left(1 - S_{it}^{C}\right)\left(1 - S_{it-2}^{C}\right) \\ \left(1 - S_{it}^{C}\right)\left(1 - S_{it-1}^{C}\right)\left(1 - S_{it-2}^{C}\right) \\ \left(1 - S_{it-1}^{C}\right)\left(1 - S_{it-1}^{C}\right)\left(1 - S_{it-1}^{C}\right)\left(1 - S_{it-1}^{C}\right) \\ \left(1 - S_{it-1}^{C}\right)\left(1 - S_{it-1}^{C}\right)\left(1 - S_{it-1}^{C}\right)\left(1 - S_{it-1}^{C}\right) \\ \left(1 - S_{it-1}^{C}\right)\left(1 - S_{it-1}^{C}\right)\left(1 -$$

The parameter vector  $\beta_z$  contains six elements; one for each of the components in  $X_{it}^z$ . The vectors in equations (14) to (16) are designed in such a way that they can track the dynamics of the dependent variables in the time period surrounding a certain spike event. This works as follows. The vector  $X_{it}^z$  consists out of six elements  $X_{hit}^z$ ,  $h \in \{1,...,6\}$  for  $z \in \{B, E, C\}$ . The variables  $X_{hit}^z$ ,  $h \in \{1,...,6\}$ ,  $z \in \{B, E, C\}$  allow for identifying what happens to the firm's energy metrics between two years prior to, and two years post a certain firm investment spike event.

Let us consider the example of spikes in building investments. For example, the coefficient of  $X_{1it}^{B}$  measures the change in the dependent variable two years before a spike in buildings occurs. The variable takes the value 1 if a spike occurs in year t+2 for investment in buildings (but not in equipment) and no spikes in buildings occur in years t and t+1. In all other conditions, it takes the value 0. The parameter estimate for variable  $X_{2u}^{B}$  measures the change in  $DV_{a}$  one year before a spike in buildings. The variable takes the value 1 if a spike in buildings occurs in year t+1 (but not in equipment), and no spikes in buildings occur in year t; alternatively it assumes the value 0. To measure changes in the dependent variable at the time of a spike we employ  $X_{3u}^{B}$ . It assumes the value 1 if a spike in buildings occurs in year t, and there is no spike in equipment in t. It will be 0 otherwise. The variables  $X_{4u}^{B}$  and  $X_{5u}^{B}$  are similar to  $X_{2u}^{B}$  and  $X_{1u}^{B}$ , though they indicate a spike in year t-1 (t-2) rather than t+1 (t+2). Thus, these variables identify what happens one and two years after a spike event, respectively. Finally, using  $X_{6u}^{B}$  we capture the change in  $DV_{a}$  after three or more years. The variable takes the value 1 if a spike occurs before year t-2, but not in t-2, t-1 and t. The vectors  $X_{it}^{E}$  and  $X_{it}^{C}$  are analogous to  $X_{it}^{B}$ . The parameter estimates for vector  $X_{it}^{E}$  identify adjustment of  $DV_{a}$  surrounding spikes in equipment only. Likewise, coefficients of  $X_{it}^{C}$  measure adjustment of  $DV_{a}$  surrounding simultaneous spikes in both buildings and equipment.

Estimating equation (13) yields regression coefficients captured by the vector  $\beta_z$  with six elements for independent variables  $X_{ii}^z$ ,  $z \in \{B, E, C\}$ . They identify the adjustment of the dependent variable  $DV_a$  for firms *i* that are experiencing a spike in buildings, equipment or are experiencing a combined spike. These estimates measure the difference between a firm conducting a major investment and a firm that is not experiencing a spike. Due to the fixed effects specification the estimates identify the within variation of the dependent variable across various investment experiences of firms. As the dependent variables are in natural logarithms, from the coefficients in the vector  $\beta_z$  percentage differences can be calculated in the dependent variable between firms that are, and firms that are not in the situation described by an element  $X_{ii}^z$ . For example, consider as a dependent variable the natural logarithm of energy consumption in year t. Suppose the parameter estimate for  $X_{4it}^{C}$  equals 0.01. Then a firm that simultaneously invested in equipment and structures in the previous year, i.e. period t-1, experiences energy consumption approximately 1 percent higher in year t than a firm that did not conduct a simultaneous spike in the previous year, correcting for firm specific heterogeneity.

As long as an investment spike is observed in the timeframe 2000-2008, we also define all those other elements of the vector  $X_{ii}^{z}$  that can be observed subject to data availability. As an example, for an investment spike in equipment in the year 2007, we set  $X_{1i2005}^{E}$ ,  $X_{2i2006}^{E}$ ,  $X_{3i2007}^{E}$  and  $X_{4i2008}^{E}$  equal to 1, but logically do not define  $X_{5i2009}^{E}$  and  $X_{6i2010}^{E}$ , as they fall outside of our observation window. Let us now say a firm experienced an investment spike in 2009. In that case,  $X_{1i2007}^{E}$  and  $X_{2i2008}^{E}$  should be equal to 1. However, they are held to 0 in our data, because we cannot observe 2009. This measurement error will likely bias the findings downward to zero. Hence, this adds some conservativeness to our conclusions.

Hausman tests on all models indicate that all dependent variables required a fixed effects specification. The models are estimated using fixed effects, within estimators. Within estimators are more efficient than first differencing, assuming i.i.d. idiosyncratic error terms  $\varepsilon_{it}$ . Since we do not (for example) include any lagged variables in the regression, this is a safe assumption after averaging out the fixed effects. Note, we do not intend to estimate a model obtaining causal insights. We rather aim at describing dynamic patterns of some key firm level variables. We abstract from time-invariant variables as they are omitted from the model due to differencing fixed effects.

#### 5. Results

In Table 5 we present our results reflecting the dynamics of firm level energy performance metrics surrounding investment spikes for the full sample. Based on these results we constructed Figures 1 and 2. These figures depict how three energy performance metrics behave around specific investment events for the full sample. We observe that energy consumption tends to increase by around 7 percent when a firm experiences a simultaneous spike. This result is statistically significant. Energy usage displays no major changes in case firms conducting a single spike. Depicted in Figure 2, Energy Consumption per Capital Stock of Buildings, energy efficiency does improve by 4 percent after three or more years when a firm experiences a spike in buildings. In Figure 2, Energy Consumption per Capital Stock of Equipment shows that three or more years after either a simultaneous spike or a single spike in equipment the firm's energy efficiency improves by even 12 percent. Strikingly, before these spikes the energy efficiency metrics indicate relatively low performance, indicating that the firms' production processes have become more energy inefficient potentially due to working at full capacity or due to aging. Thus, we see from Figure 1 that firms use more energy after conducting major investment efforts in both buildings and equipment simultaneously. However, Figure 2 reveals they do use the energy more efficiently after the investments have taken place. Even though the scale of operations tends to increase, especially in case of a simultaneous spike, firms produce using more energy efficient processes. In fact, in the case of a single spike in buildings, the energy consumption per unit of buildings decreases. Furthermore, if a single or simultaneous spike occurs including equipment, energy usage per unit of equipment decreases.

		Full sample				
		EC	EC/CB	EC/CE		
Vector $X_{it}^B$	Buildings					
$X^B_{1it}$	Two years before spike	.009	.022	019		
$X^B_{2it}$	Year before spike	.018	.032	016		
$X^B_{3it}$	Year of spike	.038	.043	.001		
$X_{4it}^B$	Year after spike	.025	032	009		
$X^B_{5it}$	Two years after spike	.003	048	028		
$X^B_{6it}$	Three or more years after spike	.027	036*	.005		
Vector $X_{it}^E$	Equipment					
$X_{1it}^E$	Two years before spike	019	015	.061***		
$X_{2it}^E$	Year before spike	007	008	.085***		
$X_{3it}^E$	Year of spike	.009	.010	.137***		
$X_{4it}^E$	Year after spike	.020	.019	023		
$X_{5it}^E$	Two years after spike	.013	.011	044**		
$X^E_{6it}$	Three or more years after spike	.027	.021	112***		
Vector $X_{it}^{C}$	Simultaneous					
$X_{1it}^{C}$	Two years before spike	007	.005	.040		
$X_{2it}^{C}$	Year before spike	.025	.037	.102***		
$X_{3it}^{C}$	Year of spike	.064*	.074**	.136***		
$X_{4it}^{C}$	Year after spike	.063*	.011	044**		
$X_{5it}^{C}$	Two years after spike	.074**	.015	039		
$X_{6it}^{C}$	Three or more years after spike	.072**	.008	127***		
N		5,868	5,868	5,868		
Nr. of firms		652	652	652		
F statistic		29.82***	25.19***	28.94***		
R <sup>2</sup> within		.156	.086	.170		

**Table 5:** Energy Dynamics surrounding Investment Spikes of Equipment, Buildings and

 Simultaneously Both

Table 5 presents the results of the estimation parameters for the energy performance surrounding investment spikes in equipment, buildings and simultaneously both. Dependent variables across regressions are on the horizontal row and all dependent variables have received a (natural) logarithmic transformation. Dependent variables: EC = Energy Consumption, EC/CB = Energy Consumption / Capital Stock Buildings, EC/CE = Energy Consumption / Capital Stock Equipment. Parameter estimates, conditioned upon observing an investment spike, are documented by investment spike time and investment type. Statistical significance is reflected by: \*  $p \le .10$ , \*\*  $p \le .05$ , \*\*\*  $p \le .01$ . The models include year dummies, that are however not displayed to save space.

Recall (9) that equation informs that us  $\Delta \ln(e_t/K_t^c) = \Delta \ln(Y/K_t^c) + \Delta \ln(p_t) - \Delta \ln(p_t^e) + \Delta \ln \kappa$ . From Table 5 we infer that three or more years after a simultaneous spike  $\Delta \ln(e_t/K_t^c) = -0.127$ . Results not published here but available from the authors upon request reveal that in our data  $\Delta \ln(Y_t/K_t^c) = -0.120$  three or more years after a simultaneous spike. Hence,  $\Delta \ln(p_t^e) - \Delta \ln(p_t) \approx \Delta \ln \kappa$ . As we are considering the period of 2000-2008 in the Netherlands, producer prices in manufacturing industries have increased by 30 percent and energy prices by 130 percent in 9 years. This means that for a firm that has conducted a simultaneous spike during one of the early years of the sample approximately  $\Delta \ln \kappa \approx 1$ . This is probably an optimistic estimate of technological progress concerning energy use in the firm's production function. Nevertheless, based on this number we conclude that production technology has become more energy efficient in cases where a firm experienced a simultaneous spike. Similar findings hold if we would use results concerning energy efficiency and productivity of equipment (buildings) three or more years after a single spike in equipment (buildings).<sup>7</sup>

\*\*\* Figures 1 and 2 about here \*\*\*

<sup>&</sup>lt;sup>7</sup> It is clear that smaller businesses are underrepresented in our sample. This is due to the specific sampling method used by CBS. We have for firms employing fewer than 50 fte a number of observations of N = 1,063 and for firms employing 50 fte or more N = 4,805. In terms of performance, small and larger firms are quite comparable. For instance, for the variable Total Costs / Sales the means of the two groups do not significantly differ from each other. In terms of our regression findings, we see that the patterns described for the overall sample are quite similar between smaller and larger firms, although statistical significance is mainly observed among the subsample of larger businesses. This is likely due to the relatively small sample of smaller firms. The main observations (1) firms increasing energy consumption after large simultaneous investments in buildings and equipment, (2) energy efficiency improving after large simultaneous investments, and (3) operational efficiency improving after investments in equipment, yet decreasing after investments in buildings are similar in both subsamples, although again not always accompanied with statistical significance in the small firm subsample. Results are available upon request.

#### Industry Cluster Analysis

The table in Appendix B presents the results of our analysis conducted on sample breakdowns by innovation, labor and energy intensity to obtain a more granular insight. Based on these results, we constructed Figures 3 to 5. In Figure 3 we depict the results distinguishing firms by innovation intensity. In this discussion we disregard the separate Wood sectors as these yield few statistically significant results in terms of what happens after the various spike events. We see from Figure 3 that our findings for the full sample are largely in line with those for the Low Tech sectors. In these sectors energy usage increases substantially by approximately 10 percent after a simultaneous spike. According to the table in Appendix B energy efficiency improves three or more years after investing in equipment (single or simultaneous spike). Firms in High Tech sectors do also improve energy efficiency when investing in equipment (single or simultaneous spike). This does increase overall usage of energy significantly by about 5 percent after three or more years, but this number is substantially lower than what we observe for the Low Tech sectors.

### \*\*\* Figure 3 about here \*\*\*

In Figure 4 we present our results distinguishing firms by energy intensity. We observe that similar to our results based on the full sample, energy efficiency improves when investing in equipment (single and simultaneous spike) in essentially all sectors. Only in High Energy Intensity sectors a simultaneous spike does not yield a statistically significant result for three or more years after the spike, though the sign and size of the coefficient are in the right direction. However, we see that in High Energy Intensity sectors after a simultaneous spike energy usage increases afterwards. In Medium and Low Energy Intensity sectors we do not observe this pattern. Instead

in Medium Energy Intensity sectors it is major investments in buildings that are associated with higher energy usage.

#### \*\*\* Figure 4 about here \*\*\*

In Figure 5 we depict our results breaking down sectors by labor intensity. We see that energy efficiency improves three or more years after investing in equipment (single and simultaneous spike) except for the Medium Labor Intensity sectors where those improvements are not visible after simultaneous spikes. Nevertheless, in Medium Labor Intensity sectors we do observe an increase in energy usage three or more years afterwards. Strikingly, we find that in Low Labor Intensive sectors after single spikes in buildings and equipment energy usage expands.

# \*\*\* Figure 5 about here \*\*\*

In sum, we find some differences across various types of industries as distinguished by innovation, energy and labor intensity. However, the result that major investments involving equipment (single and simultaneous spikes) are correlated with better energy efficiency is largely robust across sectors. The result that simultaneous spikes are associated with higher energy usage is found most strongly in Low Tech, High Energy Intensity and Medium Labor Intensity sectors.

#### **Operational Efficiency**

In Table 6 we report how efficiency of the firm evolves surrounding major investment events for the full sample, as well as for the sample breakdowns by technology, labor, and energy intensity. In case of simultaneous spikes, we observe that the total cost to sales ratio does not change significantly. Operational efficiency tends to improve three or more years after an investment spike in equipment only, though investments in buildings do the opposite. In the full sample efficiency does not get worse by more than 1 percent.

						TC/S					
		Full Sample	HT	W	LT	HE	ME	LE	HL	ML	LL
Vector $X_{it}^B$	Buildings										
$X^B_{1it}$	Two years before spike	005	.001	013	006	.005	016	016**	026***	022**	.013
$X^B_{2it}$	Year before spike	007	007	012*	005	001	003	017**	011	016*	.004
$X^B_{3it}$	Year of spike	004	004	.003	010	.001	.004	016*	005	015	.006
$X^B_{4it}$	Year after spike	.005	.004	.020**	004	.007	.007	.000	.008	004	.011
$X^B_{5it}$	Two years after spike	.003	.005	.014	006	.004	000	.003	.009	002	.005
$X^B_{6it}$	Three or more years after spike	.010**	.017*	.003	.002	.016**	.002	.004	003	.003	.019***
Vector $X_{it}^E$	Equipment										
$X_{1it}^E$	Two years before spike	004	014	021**	.012*	.005	.012	028***	.010	014	007
$X^E_{2it}$	Year before spike	011**	020**	018**	.000	002	006	026***	.001	015*	013*
$X^E_{3it}$	Year of spike	.002	006	008	.012	.010	.008	015	.010	.001	002
$X^E_{4it}$	Year after spike	.009*	.004	.009	.013*	.018**	003	.002	006	.022**	.007
$X^E_{5it}$	Two years after spike	.014**	.017	.009	.013**	.013**	.013	.016	.019*	.026*	.006
$X^E_{6it}$	Three or more years after spike	008*	026***	.005	000	.003	018**	022**	017*	012	004
Vector $X_{it}^{C}$	Simultaneous										
$X_{1it}^C$	Two years before spike	027	024	017*	032	034	028	011	.017	045*	030
$X_{2it}^{C}$	Year before spike	008	013	031*	.004	.002	020	020	004	051**	.010
$X_{3it}^{C}$	Year of spike	.002	003	016	.014	.007	011	.004	.019	038	.014
$X_{4it}^C$	Year after spike	.007	001	009	.017	.015	013	.005	.003	008	.014
$X_{5it}^{C}$	Two years after spike	.013	.001	.023	.018*	.017	007	.017	.019	013	.021**
$X_{6it}^C$	Three or more years after spike	000	028	.000	.017	.008	011	023	.011	022	.006
Ν		5,868	2.285	974	2.609	2.695	1.254	1.919	1.277	1,747	2.844
Nr. of firms		652	257	109	293	301	144	217	146	195	318
F statistic		2.89***	2.07***	2.04***	1.69**	2.24***	1.97***	2.33***	2.16***	2.41***	2.01***
R <sup>2</sup> within		.016	.025	.052	.025	.018	.029	.041	.039	.041	.017

 Table 6 Economic Performance surrounding Investment Spikes of Equipment, Buildings and Simultaneously Both

Notes: Table 6 presents the results of the estimation parameters for the economic performance surrounding investment spikes in equipment, buildings and simultaneously both. The dependent variable across regressions is on the horizontal row and has received a (natural) logarithmic transformation. Dependent variable: TC/S = Total Costs / Sales. Abbreviations: HT (LT) = High- (Low-) tech industries, W = Wood, HE (ME, LE) = High (Medium, Low) energy intensity industries, HL, (ML, LL) = High (Medium, Low) labor intensity industries. Parameter estimates, conditioned upon observing an investment spike, are documented by investment spike time and investment type. The models include year dummies, but omitted from table display. Statistical significance is reflected by: \* p  $\leq .10$ , \*\* p  $\leq .05$ , \*\*\* p  $\leq .01$ .

#### Operational Efficiency in Oil & coal and Chemicals

According to Table 6 sectors that are harmed most in terms of operational efficiency by investment in buildings are high-tech industries, industries with low labor intensity and those with high energy intensity. With these categories in mind, Table 3 informs firms operating in Oil & coal and in Chemicals face a statistically significant financial disincentive to invest in buildings. Operational efficiency decreases by more than 1.5 percentage points in such capital-intensive industries. This is confirmed by a separate analysis reported in Table 7 that we conducted for these sectors. Operational efficiency decreases by 3.4 percent after three or more years after a spike in buildings when we group the observations for Oil & coal and Chemicals. This result is statistically significant. For these sectors we find that upon investment, energy use does increase, however only a single investment spike in equipment does so according to conventional statistical significance levels. Likewise, previous literature identified that in Chemicals firms increased energy consumption after participating in voluntary energy efficiency equipment programs (Gamper-Rabindran and Finger, 2013). Nevertheless, our results suggest that also in these industries  $\Delta \ln \kappa > 0$  implying that investment is associated with higher energy efficiency. We conclude that the sectors mentioned in this paragraph may enhance environmental performance by investing in appropriate capital goods. Nevertheless, appropriate financial incentives to do so seem absent.

Table 7	Dynamics	of Performance	Metrics
rabic /	Dynamics	of i chroninance	1 I Cui I C

		EC	EC/CB	EC/CE	TC/S
••• ••• R					
Vector $X_{it}^{B}$	Buildings				
$X_{1it}^{B}$	Two years before spike	.044	.077	.080	.029
$X^B_{2it}$	Year before spike	.002	.028	.019	.010
$X^B_{3it}$	Year of spike	009	.011	.021	.021
$X^B_{4it}$	Year after spike	064	110	056	.018
$X^B_{5it}$	Two years after spike	010	146	089	.008
$X^B_{6it}$	Three or more years after spike	.061	.011	.121*	.034**
Vector $X_{it}^E$	Equipment				
$X_{1it}^E$	Two years before spike	085*	085*	.026	.016
$X_{2it}^E$	Year before spike	039	039	.067	001
$X_{3it}^E$	Year of spike	022	029	.116	.025
$X_{4it}^E$	Year after spike	.017	.014	008	.022
$X^{E}_{5it}$	Two years after spike	.021	.013	033	.020
$X_{6it}^E$	Three or more years after spike	.101*	.097*	017	006
Vector $X_{it}^{C}$	Simultaneous				
$X_{1it}^{C}$	Two years before spike	018	.005	.083	026
$X_{2it}^{C}$	Year before spike	044	020	.058	009
$X_{3it}^{C}$	Year of spike	011	003	.075	021
$X_{4it}^C$	Year after spike	.054	013	.028	009
$X_{5it}^{C}$	Two years after spike	043	012**	034	.001
$X_{6it}^{C}$	Three or more years after spike	.033	037	048	021
N		638	638	638	638
Nr. of firms		71	71	71	71
F statistic		11.42***	10.08***	10.13***	1.92**
R <sup>2</sup> within		.233	.208	.220	.027

Oil & coal and Chemicals

Notes: Table 7 presents the results of the estimation parameters for the dynamics of performance metrics surrounding investment spikes in equipment, buildings and simultaneously both. The dependent variable across regressions is on the horizontal row and has received a (natural) logarithmic transformation. Dependent variables: EC = Energy Consumption, EC/CB = Energy Consumption / Capital Stock Buildings, EC/CE = Energy Consumption / Capital Stock Equipment, TC/S = Total Costs / Sales. Parameter estimates, conditioned upon observing an investment spike, are documented by investment spike time and investment type. Statistical significance is reflected by: \*  $p \le .10$ , \*\*  $p \le .05$ , \*\*\*  $p \le .01$ . The models include year dummies, that are however not displayed to save space.

#### 6. Conclusion

Environmental performance is a core 21st century challenge and firms have an important role to play in increasing energy efficiency and decreasing toxic pollutants. Yet, there is limited evidence on the links between firm investment activities and how they can be used to change environmental performance outcomes. For firms, investment events are where they can plan for financial and environmental performance. Large investment spikes influence the productivity of firms, can impact hundreds of employees, change operational costs and influence the production of millions of manufactured goods. Hence, firms seek efficiency in equipment, buildings or the simultaneous use of both. We investigate how energy performance of Dutch manufacturing firms over the 2000 to 2008 period evolves in the time surrounding investment spikes in capital. Our contribution is to identify whether these investment spikes had an impact on energy consumption, assess whether or not firms improved energy efficiency in anticipation of the investment event or after an investment outlay occurred and identify the capital source where environmental performance is correlated with investment spikes.

From our multi-period event study, we find that when firms engage in large simultaneous investments in both buildings and equipment, energy consumption levels increase considerably by 6.4 percent in the first year after the spike and continues to rise to an average 7.4 percent in 3 or more years. For this result, we may be able to interpret a simultaneous capital expenditure as a signal of expansionary or replacement activities and potentially implies that when firms engage in growth activities there is correlation with energy consumption growth overall. This result correlates with expectations around firm investment, but it does not necessarily point to poor environmental performance from the building or equipment capital. In fact, we find that in cases of major investment spikes energy efficiency improves. Moreover, we find that these investments do not

correlate with an increase in the total cost per sales after an investment is made. Notably, investments in equipment improve the operational efficiency by approximately 2 percent after three years from the investment spike. This suggests that industrial firms can decrease energy consumption whilst increasing operational efficiency – the so called "doing well by doing good".

We find that after investments energy efficiency in equipment improves. Our results for the overall sample imply that less energy is needed to produce a certain level of output once a firm invests. We show that after three years from the investment outlay energy efficiency increases by about 12 percent per unit of equipment. Though energy efficiency improves after installing new equipment capital, we observe some evidence of energy efficiency decreasing subsequent to investment in buildings in high technology, high energy and low labor industries by 1.7, 1.6 and 1.9 percent respectively. Especially firms operating in capital-intensive industries like Oil & Coal and Chemicals seem to be affected by stricter building codes.

Our results document a positive correlation with environmental performance after investment spike activity, which suggests firms investing in industrial buildings do so with energy efficiency as a primary objective for financial performance. Anecdotally, there is evidence of success in the industrial sector to meet energy efficiency performance targets. As an example, Prologis is a global industrial real estate company that is committed to decreased energy consumption to improve financial performance.<sup>s</sup> However, from a policy perspective lagged firm awareness, poor environmental performance knowledge on behalf of firms, poor equipment and(or)

<sup>&</sup>lt;sup>8</sup> Prologis is a large industrial real estate investment trust operating in North America, Europe and Asia. They were recently acknowledged by the Green Real Estate Sustainability Benchmark for energy consumption their vears superior in the ten of sector. See also https://www.prologis.com/logistics-industry-feature/prologis-earns-perfect-10-2017sustainability-benchmark, accessed 08/28/2018.

building standards knowledge or lagged policy implementation may lead to decreased planning for environmental performance at the time of investment spikes. Thus, more common policy approaches like voluntary agreements with firms may not be of much help in this context, but thirdparty verification or enforceable penalties when firms do not perform, subsidies or R&D tax credits could potentially yield better results (Earnhart, 2004; Cole et al., 2005; Gamper-Rabindran and Finger, 2013).

Currently, CBS data does not enable us to identify the effect of energy efficiency standards or codes in our results and more generally there are limitations around observing expansionary events by firms. In addition, we do not observe substitution of activities between plants that belong to the same company. Future research may also seek to observe expansionary investment in BRIC economies. However, our results have allowed us to observe that there is a correlation between energy related metrics and firms who have purchased new equipment capital. For policy makers to take note, we observe that growing firms become more energy efficient. Firms conducting large investments are planning for a future cash flow that is promising and invest in equipment where they expect to yield a profit maximizing positive financial return from such decisions. Furthermore, it is financially healthy firms having cash flow streams and/or access to the capital markets that are capable of investments at this magnitude. Sometimes firms need to finance capital improvement expenditures themselves due to capital market imperfections (Fazzari et al., 1988), but in the EU's current Horizon 2020 program there are numerous avenues to apply for financing and subsidies that support the purchase of new energy efficient equipment and building technologies. Potentially in the long-run, as the manufacturing sector switches towards environmental performing capital, then energy efficient firm production could replace firm production that is both less successful and energy inefficient. In the aggregate, technological progress in equipment and buildings both with an aim towards energy efficiency may be improved by replacement of unsuccessful firms by more energy efficient competitors (Acemoglu et al., 2014; Acemoglu et al., 2009).

In this way, policy makers should continue to recognize, convene and set standards towards industrial environmental performance. Environmental goals can be attained by advancing standards for materials, equipment, building codes and the emissions of pollutants without significant financial repercussions to firms. This view is consistent with studies observing that "lean and green" go hand in hand. Investing in environmental technology enhances manufacturing performance (Klassen and Wybark, 1999; Telle and Larsson, 2007) and lean production processes are complementary to environmental performance (King and Lenox, 2001). Future research is required to understand whether it is such evolutionary developments in industries, allowing countries to become less dependent on energy in the aggregate.

#### References

Abel, A.B. and Eberly, J.C. (1994). A unified model of investment under uncertainty. *American Economic Review*, 84, 1369-1384.

Abel, A.B., and Eberly, J.C. (1998). The mix and scale of factors with irreversibility and fixed costs of investment. *Carnegie Rochester Conference Series on Public Policy*, 48, 101-135.

Acemoglu, D. (2015). How the machines replace labor? *Paper presented at the annual meeting of the Allied Social Science Associations, American Economic Association*, Boston.

Acemoglu, D., Aghion, P., Bursztyn, L., and Hemous, D. (2009). The environment and directed technical change (No. w15451). *National Bureau of Economic Research*.

Acemoglu, D., Akcigit, U., Hanley, D. and Kerr, W. (2014). Transition to clean technology (No. w20743). *National Bureau of Economic Research*.

Aroonruengsawat, A., Auffhammer, M., and Sanstad, A. H. (2012). The impact of state level building codes on residential electricity consumption. *Energy Journal-Cleveland*, 33, 31.

Asphjell, M.K., Letterie, W., Nilsen, Ø.A. and Pfann, G.A. (2014). Sequentiality versus simultaneity: Interrelated factor demand. *Review of Economics and Statistics*, 96, 986-998.

van den Bergen, D., de Haan, M., de Hey, R. and Horsten, M. (2009). Measuring capital in the Netherlands. Statistics Netherlands Discussion Paper (09036).

Bokhari, S. & Geltner, D. (2014). Characteristics in commercial and multi-family property: An investment perspective. *Center for Real Estate Working Paper Series*.

Bloom, N. (2009). The impact of uncertainty shocks. Econometrica, 77, 623-685.

Chegut, A., Eichholtz, P.M., and Rodrigues, J.M. (2014). Spatial dependence in international office markets. *Journal of Real Estate Finance and Economics*, 51, 317-350.

Cole, M.A., Elliott, R.J. and Shimamoto, K., (2005). Industrial characteristics, environmental regulations and air pollution: an analysis of the UK manufacturing sector. *Journal of Environmental Economics and Management*, 50 (1), 121-143.

Cooper, R. W., & Haltiwanger, J. C. (2006). On the nature of capital adjustment costs. *The Review* of *Economic Studies*, 73(3), 611-633.

Cooper, R.W., Haltiwanger, J.C. and Power, L.(1999). Machine Replacement and Business Cycle: Lumps and Bumps. *American Economic Review*. 89(4), 921-946.

Dalton, B., and Fuerst, F. (2018). The 'green value' proposition in real estate. Routledge Handbook of Sustainable Real Estate.

Dunne, T., Roberts, M.J. and Samuelson, L. (1989). Firm turnover and gross employment flows in the US manufacturing sector. *Journal of Labor Economics*, 7, 48-71.

Earnhart, D., (2004). Regulatory factors shaping environmental performance at publicly-owned treatment plants. *Journal of Environmental Economics and Management*, 48(1), pp.655-681.

Eichholtz, P., Kok, N., and Quigley, J. M. (2010). Doing well by doing good? Green office buildings. *American Economic Review*, 100(5), pp.2492-2509.

European Environment Agency. (2013). Final energy consumption by sector (CSI 027/ENER 016). http://www.eea.europa.eu/data-and-maps/indicators/final-energy-consumption-by-sector-5/assessment. Accessed July 9, 2014.

Gamper-Rabindran, S. and Finger, S.R., (2013). Does industry self-regulation reduce pollution? Responsible Care in the chemical industry. *Journal of Regulatory Economics*, *43*(1), pp.1-30.

Görzig, B., (2007). Depreciation in EU member states: empirical and methodological differences. EU KLEMS Project.

Hamermsh, D, and Pfann, G. (1996). Adjustment costs in factor demand. *Journal of Economic Literature*, 34, 1264-1292.

Hémous, D., and Olsen, M. (2013). The rise of the machines: automation, horizontal innovation and income inequality. Paper presented at the annual meeting of the Allied Social Science Associations, American Economic Association, Boston.

International Energy Agency (2014). Energy Policies of IEA countries. The Netherlands. 2014 Review. OECD/IEA.

Jacobsen, G.J. and Kotchen, M.J. (2013). Are building codes effective at saving energy? Evidence from residential billing data in Florida. *Review of Economics and Statistics*, 95, 34-49.

Kapelko, M., Oude Lansink, A. and Stefanou, S.E. (2015) Analyzing the impact of investment spikes on dynamic productivity growth. *Omega*, 54, 116-124.

King, A.A. and Lenox, M.J., (2001). Lean and green? An empirical examination of the relationship between lean production and environmental performance. *Production and Operations Management*, *10*(3), pp.244-256.

Klassen, R.D. and Whybark, D.C., (1999). The impact of environmental technologies on manufacturing performance. *Academy of Management Journal*, 42(6), pp.599-615.

Letterie, W.A., and Pfann, G.A. (2007). Structural identification of high and low investment regimes. *Journal of Monetary Economics*, 54, 797-819.

Letterie, W., Pfann, G. A., and Verick, S. (2010). On lumpiness in the replacement and expansion of capital. *Oxford Bulletin of Economics and Statistics*, 72(3), 263-281

Letterie, W., Pfann, G.A. and Polder, J.M. (2004). Factor adjustment spikes and interrelation: An empirical investigation. *Economics Letters*, 85, 145-150.

Nilsen, Ø. A., Raknerud, A., Rybalka, M., & Skjerpen, T. (2009). Lumpy investments, factor adjustments, and labor productivity. *Oxford Economic Papers*, 61, 104-127.

Nilsen, Ø .A. and Schiantarelli, F. (2003). Zeros and lumps in investment: Empirical evidence on irriversibilities and nonconvexities, *Review of Economics & Statistics*, 85(4), 1021-1037.

Papineau, Maya. (2013). Energy codes and the landlord-tenant Problem. UC Berkeley: Fisher Center for Real Estate and Urban Economics. Retrieved from: https://escholarship.org/uc/item/46c518h9

Power, L. (1998). The missing link: technology, investment, and productivity. *Review of Economics and Statistics*, 80, 300-313.

Ramirez, C.A., Patel, M. and Blok, K. (2005). The non-energy intensive manufacturing sector. An energy analysis relating to the Netherlands. *Energy*, 30, 749-767.

Raymond, W., Mohnen, P., Palm, F. & Schim van der Loeff, S. (2006). A classification of Dutch manufacturing based on a model of innovation. *De Economist*, 154, 85-105.

Sakellaris, P. (2004). Patterns of firm adjustment. Journal of Monetary Economics, 51, 425-450.

Telle, K. and Larsson, J., (2007). Do environmental regulations hamper productivity growth? How accounting for improvements of plants' environmental performance can change the conclusion. *Ecological Economics*, *61*(2), pp.438-445.

Verdolini, E. and Galeotti, M., (2011). At home and abroad: An empirical analysis of innovation and diffusion in energy technologies. *Journal of Environmental Economics and Management*, 61(2), 119-134.

Wooldridge, J. M. (2013). Introductory Econometrics-A Modern Approach, 5<sup>th</sup> edition. Boston, MA: Cengage Learning.

US Energy Information Administration. (2014). AEO2014 Early Release Overview. Report Number DOE/EIA 0383ER(2014).

# Figures

# Figure 1: Energy Consumption





# Figure 2: Energy Efficiency of Buildings and Equipment



## Figure 3: Sector Breakdown by Innovation Intensity

b. Energy Consumption / Capital Stock of Buildings



#### c. Energy Consumption / Capital Stock of Equipment





# Figure 4: Sector Breakdown by Energy Intensity



#### b. Energy Consumption / Capital Stock Buildings

c. Energy Consumption / Capital Stock Equipment



----- Buildings ---- Equipment ······ Simultaneous 💠 Buildings stat\* 🔶 Equipment stat\* 🗖 Simultaneous stat



## Figure 5: Sector Breakdown by Labor Intensity

b. Energy Consumption / Capital Stock Buildings



── Buildings ─── Equipment ······ Simultaneous ♦ Buildings stat\* ♦ Equipment stat\* □ Simultaneous stat\*





Buildings — — Equipment … Simultaneous 🛇 Buildings stat\* 🔶 Equipment stat\* 🗖 Simultaneous stat\*

#### Appendix A. Construction of Capital Stock Variables

We construct the starting value of a firm's capital stock for buildings and for equipment as follows. The initial capital stock for a firm is the contemporaneous ratio of firm to industry output multiplied by the industry's capital stock of an asset. More specifically, for a given firm i in period t, the firm's

capital stock, i.e.  $K_{it}^c$  is calculated using  $K_{it}^c = K_{jt}^c \cdot \frac{Y_{it}}{Y_{jt}}$ , where *j* denotes the industry a firm is

operating in,  $Y_{it}$  ( $Y_{jt}$ ) depicts output of firm *i* (industry *j*) in year *t*,  $K_{it}^{c}(K_{jt}^{c})$  denotes the capital stock of asset *c* of company *i* (industry *j*) at the beginning of year *t*. The industry level data are obtained from the Statline online data center of Statistics Netherlands (CBS). To construct the starting values of the capital stock series, data from the year prior to the start of the sample are collected. Hence, these series start in the year 2000.

The capital stock for the remaining years is determined by the perpetual inventory method. Importantly, in the analysis we employ real investment and capital figures. The nominal numbers have been deflated using producer price indices on buildings or equipment assets. The nominal numbers refer to investments done in the book year.

		Higl	High-tech industries			-tech indust	ries	Wood industries		
		EC	EC/CB	EC/CE	EC	EC/CB	EC/CE	EC	EC/CB	EC/CE
Vector X <sup>B</sup> <sub>it</sub>	Buildings									
$X_{1it}^{B}$	Two years before spike	.056**	.078***	.030	.006	.015	017	077**	076**	116**
$X_{2it}^B$	Year before spike	.064**	.083***	.039	005	.008	036	027	028	086
$X^B_{3it}$	Year of spike	.066*	.077*	.028	.038	.041	.005	037	049	070
$X^B_{4it}$	Year after spike	.034	018	005	.023	035	008	006	078*	024
$X^B_{5it}$	Two years after spike	.010	034	028	003	059	027	026	087**	053
$X^B_{6it}$	Three or more years after spike	.052*	000	.048	.024	048	016	049	121**	067
Vector $X_{it}^E$	Equipment									
$X^E_{1it}$	Two years before spike	028	028	.063**	012	000	.063**	020	022	.056*
$X_{2it}^E$	Year before spike	018	030	.076***	010	.001	.086**	.020	.014	.103**
$X_{3it}^E$	Year of spike	019	018	.093**	.020	.025	.161***	.044	.037	.181***
$X_{4it}^E$	Year after spike	.021	.020	037	.005	.007	014	.059	.056	.002
$X_{5it}^E$	Two years after spike	.023	.019	054	.006	.008	032	.039	.035	018
$X_{6it}^E$	Three or more years after spike	.025	.021	141***	.013	.005	118***	.059*	.055	038
Vector $X_{it}^{C}$	Simultaneous									
$X_{1it}^{C}$	Two years before spike	024	.005	.048	.041	.047	.070	108	111	053
$X_{2it}^{C}$	Year before spike	.007	.032	.083	.071	.079	.144**	055	061	.053
$X_{3it}^{C}$	Year of spike	.052	.071	.137**	.121**	.127**	.195***	060	053	004
$X_{4it}^{C}$	Year after spike	.019	044	054	.111**	.061	003	.030	014	109
$X_{5it}^{C}$	Two years after spike	.026	040	020	.102**	.044	040	.093	.043	038
$X_{6it}^{C}$	Three or more years after spike	.021	050	122*	.099**	.027	136**	.113	.080	089
Ν		2,285	2,285	2,285	2,609	2,609	2,609	974	974	974
Nr. of firms		257	257	257	293	293	293	109	109	109
F statistic		13.68***	12.34***	13.60***	15.95***	13.34***	13.44***	10.89***	10.42***	9.43***
R <sup>2</sup> within		.187	.135	.162	.134	.059	.182	.224	.157	.228

# Appendix B. Energy Dynamics surrounding Investment Spikes of Equipment, Buildings and Simultaneously Both – Sample Breakdowns Based on Technology, Labor, and Energy Intensity

	L	High I	Energy Intensity	Sectors	Medium Ene	rgy Intensity	Sectors	Low Ene	Low Energy Intensity Sectors		
		EC	EC/CB	EC/CE	EC	EC/CB	EC/CE	EC	EC/CB	EC/CE	
Vector $X_{it}^B$	Buildings										
$X^B_{1it}$	Two years before spike	.002	.018	014	.054	.069*	.043	.013	.019	032	
$X^B_{2it}$	Year before spike	007	.011	032	.120***	.129***	.095**	.033	.040	014	
$X^B_{3it}$	Year of spike	.012	.021	007	.124***	.129***	.114**	.055*	.053	007	
$X^B_{4it}$	Year after spike	007	057	019	.094**	.029	.078	.068**	.001	.009	
$X^B_{5it}$	Two years after spike	038	085*	045	.109**	.051	.085	.036	014	017	
$X^B_{6it}$	Three or more years after spike	.007	058**	.008	.108*	.051	.122*	.039	022	013	
Vector $X_{it}^E$	Equipment										
$X^E_{1it}$	Two years before spike	010	.005	.092***	043	050	.011	023	024	.033	
$X^E_{2it}$	Year before spike	.011	.023	.129***	019	045	.066*	027	032	.026	
$X_{3it}^E$	Year of spike	.017	.026	.178***	.024	.017	.164***	012	014	.054	
$X^E_{4it}$	Year after spike	.035	.037	.027	017	016	052	.020	.016	089***	
$X^E_{5it}$	Two years after spike	.023	.023	022	047	046	064	.044	.039	060*	
$X^E_{6it}$	Three or more years after spike	.051*	.039	069**	017	007	157***	.021	.018	143***	
Vector $X_{it}^{C}$	Simultaneous										
$X_{1it}^C$	Two years before spike	.021	.033	.053	009	.056	.036	040	047	.033	
$X_{2it}^C$	Year before spike	.041	.053	.118**	.031	.090	.132*	008	017	.051	
$X_{3it}^{C}$	Year of spike	.079	.087	.136**	.081*	.127*	.233***	.036	.037	.106	
$X_{4it}^C$	Year after spike	.089*	.039	008	.047	.008	056	.031	031	087	
$X_{5it}^C$	Two years after spike	.082*	.021	016	.064	.019	057	.077	.023	039	
$X_{6it}^c$	Three or more years after spike	.107**	.038	093	.046	010	140**	.008	034	164**	
N		2,695	2,695	2,695	1 254	1 254	1 254	1 919	1 919	1 919	
Nr. of firms		301	301	301	144	144	144	217	217	217	
F statistic		13.28***	12.07***	15.38***	16.52***	14.14***	11.96***	11.55***	12.89***	10.44***	
R <sup>2</sup> within		.130	.071	.186	.210	.120	.237	.205	.235	.134	

Appendix B (continued). Energy Dynamics surrounding Investment Spikes of Equipment, Buildings and Simultaneously Both – Sample Breakdowns Based on Technology, Labor, and Energy Intensity

	High L	High Labor Intensity Sectors			m Labor Intensity S	Sectors	Low Labor Intensity Sectors			
	EC	EC/CB	EC/CE	EC	EC/CB	EC/CE	EC	EC/CB	EC/CE	
Buildings										
Two years before spike	026	027	039	.049*	.064**	.006	012	.002	034	
Year before spike	.009	.004	010	.062*	.074**	.016	024	006	053	
Year of spike	.026	.006	.018	.088**	.092**	.031	006	.005	034	
Year after spike	.012	073*	.007	.062*	.009	.026	005	058	040	
Two years after spike	.023	058	.018	.097***	.051	.051	064	108**	085	
Three or more years after spike	.026	055	.036	.005	060	005	.041*	017	.009	
Equipment										
Two years before spike	053**	055**	022	012	.019	.064**	009	018	.089***	
Year before spike	040*	042*	.002	.043	.053	.139***	021	029	.083***	
Year of spike	.007	003	.087*	.094***	.116***	.206***	040	048*	.112***	
Year after spike	023	023	087*	.065**	.074**	.015	.012	.004	026	
Two years after spike	013	017	056	.024	.029	049	.021	.015	036	
Three or more years after spike	017	011	129***	.028	.017	122***	.054**	.050*	090***	
Simultaneous										
Two years before spike	052	044	013	.118	.141*	.107	046	037	.027	
Year before spike	035	027	.069	.181**	.203**	.248***	021	009	.051	
Year of spike	.006	.005	.186**	.173*	.192*	.230**	.041	.051	.097*	
Year after spike	.012	055	045	.102	.063	005	.079**	.029	038	
Two years after spike	.048	018	040	.124	.076	.004	.081**	.025	029	
Three or more years after spike	040	128	270***	.198**	.137*	034	.054	000	121**	
	1.277	1.277	1.277	1.747	1.747	1.747	2.844	2.844	2.844	
	146	146	146	195	195	195	318	318	318	
	17.14***	12.75***	16.42***	10.08***	9.41***	9.51***	15.56***	14 43***	16.90***	
	.243	.149	.201	.152	.087	.168	.167	.118	.195	
	BuildingsTwo years before spikeYear of spikeYear of spikeYear after spikeTwo years after spikeThree or more years after spikeYear before spikeYear of spikeYear of spikeYear after spikeTwo years after spikeTwo years after spikeYear of spikeYear of spikeYear of spikeThree or more years after spikeThree or more years after spikeSimultaneousTwo years before spikeYear of spikeTwo years after spikeTwo years after spikeTwo years after spikeTwo years after spikeThree or more years after spikeThree or more years after spikeThree or more years after spike	High I           EC           Buildings           Two years before spike         -026           Year before spike         009           Year of spike         026           Year after spike         012           Two years after spike         023           Three or more years after spike         026           Equipment         026           Year of spike         -053**           Year of spike         -040*           Year of spike         -013           Three or more years after spike         -013           Year after spike         -013           Three or more years after spike         -017           Simultaneous         -017           Simultaneous         -052           Year of spike         -052           Year of spike         -052           Year of spike         006           Year of spike         012           Two years after spike         012           Two years after spike         048           Three or more years after spike         -040           1,277         146           17.14****         243	High Labor Intensity S           EC         EC/CB           Buildings        026        027           Two years before spike         .009         .004           Year of spike         .0026         .006           Year of spike         .012        073*           Two years after spike         .012         .073*           Two years after spike         .023         .058           Three or more years after spike         .026         .005           Equipment         .023         .055**           Year of spike         .040*         .042*           Year of spike         .040*         .042*           Year of spike         .013         .017           Three or more years after spike         .013         .017           Three or more years after spike         .013         .017           Three or more years after spike         .052         .044           Year of spike         .052         .044           Year of spike         .013         .017           Three or more years after spike         .012         .055           Two years after spike         .012         .055           Year of spike         .012         .055	High Labor Intensity SectorsECEC/CBEC/CEBuildings-026-027-039Year before spike009004-010Year of spike026006018Year after spike012-073*007Two years after spike023-058018Three or more years after spike026-055036Equipment-053**055**022Year before spike040*042*002Year of spike007003.087*Year of spike013017056Three or more years after spike013017Year of spike013011129***Simultaneous013011129***Year of spike0.06.005.186**Year of spike0.05.045040Three or more years after spike013011129***Simultaneous048040.040Year of spike0.06.005.186**Year after spike.012055044Year after spike.012.055.045Two years after spike.012.025.045Year of spike.048.018.040Three or more years after spike.048.018Year after spike.048.018.040Three or more years after spike.048.018Year after spike.048.018.207***	High Labor Intensity Sectors         Media           EC         EC/CB         EC/CE         EC           Buildings        026        027        039         .049*           Year obsfore spike         .009         .004         .010         .062*           Year of spike         .026         .006         .018         .088**           Year of spike         .012        073*         .007         .062*           Two years after spike         .023        058         .018         .097***           Three or more years after spike         .026         .055         .036         .005           Equipment         Troy years before spike        053**        022         .012           Year of spike         .040*        042*         .002         .043           Year of spike         .007         .003         .087*         .094***           Year of spike         .013         .017         .129***         .028           Three or more years after spike         .013         .017         .129***         .028           Simultaneous         .012         .055         .044         .118           Year of spike         .012         .055	High Labor Intensity Sectors         Medium Labor Intensity Sectors           EC         EC/CB         EC/CE         EC         EC/CB         EC/CB	High Labor Intensity Sector         Medium Labor Intensity Sector           EC         EC         ECCB         ECC         EC         ECCB         ECCB	High Laber Intensity Sectors         Mediur Laber Intensity Sectors         Low Laber           EC         EC         EC/E         EC/E	High Labor Intensity Sectors         Mediar Labor Intensity Sectors         Idear Labor Intensity Sectors <thidear intensity="" labor="" sectors<="" th=""> <thide< td=""></thide<></thidear>	

# Appendix B (continued). Energy Dynamics surrounding Investment Spikes of Equipment, Buildings and Simultaneously Both – Sample Breakdowns Based on Technology, Labor, and Energy Intensity

Notes: Appendix B presents the results of the estimation parameters for the energy performance surrounding investment spikes in equipment, buildings and simultaneously both. Dependent variables across regressions are on the horizontal row and all dependent variables have received a (natural) logarithmic transformation. Dependent variables: EC = Energy Consumption, EC/CB = Energy Consumption / Capital Stock Buildings, EC/CE = Energy Consumption / Capital Stock Equipment. Parameter estimates, conditioned upon observing an investment spike, are documented by investment spike time and investment type. Statistical significance is reflected by: \*  $p \le .10$ , \*\*  $p \le .05$ , \*\*\*  $p \le .01$ . The models include year dummies, that are however not displayed to save space. We have also estimated Equation (13) for industries separated by employing the two digit SIC classification code. However, we generally find no statistically significant patterns. One reason might be that breaking up by SIC codes yields relatively few observations per industry classification.